

Package: Barnard (via r-universe)

August 20, 2024

Type Package

Title Barnard's Unconditional Test

Version 1.8.1

Date 2023-08-31

Author Kamil Erguler

Maintainer Kamil Erguler <k.erguler@cyi.ac.cy>

Description Barnard's unconditional test for 2x2 contingency tables.

License GPL-2

URL <https://github.com/kerguler/Barnard>

LazyLoad yes

Repository <https://kerguler.r-universe.dev>

RemoteUrl <https://github.com/kerguler/barnard>

RemoteRef HEAD

RemoteSha 8c88af83ed0741c01b3af0b41d05afa2e98b23ab

Contents

Barnard	2
barnard.test	2
barnardw.test	5
Index	6

Barnard

Barnard's Unconditional Test

Description

This package implements the `barnard.test` function for performing Barnard's unconditional test of superiority. This is a more powerful alternative of Fisher's exact test for 2x2 contingency tables. The test, in its current implementation, uses Wald statistics as a measure of difference between two binomial proportions.

Author(s)

1. Kamil Erguler, Post-doctoral Fellow, EEWRC, The Cyprus Institute <k.erguler@cyi.ac.cy>

References

1. Barnard, G.A. (1945) A new test for 2x2 tables. *Nature*, 156:177.
2. Barnard, G.A. (1947) Significance tests for 2x2 tables. *Biometrika*, 34:123-138.

barnard.test*Barnard's Unconditional Test*

Description

Barnard's unconditional test for superiority applied to 2x2 contingency tables using Score or Wald statistics for the difference between two binomial proportions.

Usage

```
barnard.test(n1, n2, n3, n4, dp = 0.001, pooled = TRUE)
```

Arguments

n1, n2, n3, n4	Elements of the 2x2 contingency table
dp	The resolution to search for the nuisance parameter
pooled	Z statistic with pooled (Score) or unpooled (Wald) variance

Details

For a 2x2 contingency table, such as $X = [n_1, n_2; n_3, n_4]$, the normalized difference in proportions between the two categories, given in each column, can be written with pooled variance (Score statistic) as

$$T(X) = \frac{\hat{p}_2 - \hat{p}_1}{\sqrt{\hat{p}(1-\hat{p})\left(\frac{1}{c_1} + \frac{1}{c_2}\right)}},$$

where $\hat{p} = (n_1+n_3)/(n_1+n_2+n_3+n_4)$, $\hat{p}_2 = n_2/(n_2+n_4)$, $\hat{p}_1 = n_1/(n_1+n_3)$, $c_1 = n_1+n_3$ and $c_2 = n_2+n_4$. Alternatively, with unpooled variance (Wald statistic), the difference in proportions can be written as

$$T(X) = \frac{\hat{p}_2 - \hat{p}_1}{\sqrt{\frac{\hat{p}_1(1-\hat{p}_1)}{c_1} + \frac{\hat{p}_2(1-\hat{p}_2)}{c_2}}}.$$

The probability of observing X is

$$P(X) = \frac{c_1!c_2!}{n_1!n_2!n_3!n_4!} p^{n_1+n_2} (1-p)^{n_3+n_4},$$

where p is the unknown nuisance parameter.

Barnard's test considers all tables with category sizes c_1 and c_2 for a given p . The p-value is the sum of probabilities of the tables having a score in the rejection region, e.g. having significantly large difference in proportions for a two-sided test. The p-value of the test is the maximum p-value calculated over all p between 0 and 1.

Value

statistic.table

The contingency tables considered in the analysis represented by 'n1' and 'n2', their scores, and whether they are included in the one-sided (1), two-sided (2) tests, or not included at all (0)

nuisance.matrix

Nuisance parameters, p , and the corresponding p-values for both one- and two-sided tests

dp

The resolution of the search space for the nuisance parameter

contingency.matrix

The observed 2x2 contingency table

alternative

One sided or two sided test

statistic

The standardized difference between the observed proportions

nuisance.parameter

The nuisance parameter where the p-value is maximized

p.value

The p-value for the observed contingency table

pooled

Variance estimator of the Z statistic

Note

I am indebted to Peter Calhoun for helping to test the performance and the accuracy of the code. I also thank Rodrigo Duprat, Long Qu, and Nicolas Sounac for their valuable comments. The accuracy has been tested with respect to the existing MATLAB and R implementations as well as the results of StatXact. I have largely been influenced by the works of Trujillo-Ortiz et al. (2004), Cardillo G. (2009), and Galili T. (2010).

Author(s)

Kamil Erguler, Post-doctoral Fellow, EEWRC, The Cyprus Institute <k.erguler@cyi.ac.cy>

References

1. Barnard, G.A. (1945) A new test for 2x2 tables. *Nature*, 156:177.
2. Barnard, G.A. (1947) Significance tests for 2x2 tables. *Biometrika*, 34:123-138.
3. Suissa, S. and Shuster, J. J. (1985), Exact Unconditional Sample Sizes for the 2x2 Binomial Trial, *Journal of the Royal Statistical Society, Ser. A*, 148, 317-327.
4. Cardillo G. (2009) MyBarnard: a very compact routine for Barnard's exact test on 2x2 matrix. URL <http://www.mathworks.com/matlabcentral/fileexchange/25760>
5. Galili T. (2010) URL <http://www.r-statistics.com/2010/02/barnards-exact-test-a-powerful-alternativ>
6. Lin C.Y., Yang M.C. (2009) Improved p-value tests for comparing two independent binomial proportions. *Communications in Statistics-Simulation and Computation*, 38(1):78-91.
7. Trujillo-Ortiz, A., R. Hernandez-Walls, A. Castro-Perez, L. Rodriguez-Cardozo N.A. Ramos-Delgado and R. Garcia-Sanchez. (2004). Barnardtest:Barnard's Exact Probability Test. A MATLAB file. [WWW document]. URL <http://www.mathworks.com/>

Examples

```
barnard.test(8,14,1,3)

## Plotting the search for the nuisance parameter for a one-sided test
bt<-barnard.test(8,14,1,3)
plot(bt$nuisance.matrix[,1:2],
     t="1",xlab="nuisance parameter",ylab="p-value")

## Plotting the tables included in the p-value
bt<-barnard.test(40,14,10,30)
bts<-bt$statistic.table
plot(bts[,1],bts[,2],
     col=HSV(bts[,4]/4,1,1),
     t="p",xlab="n1",ylab="n2")

## Plotting the difference between pooled and unpooled tests
bts<-barnard.test(40,14,10,30,pooled=TRUE)$statistic.table
btw<-barnard.test(40,14,10,30,pooled=FALSE)$statistic.table
plot(bts[,1],bts[,2],
     col=c("black","white")[1+as.numeric(bts[,4]==btw[,4])],
     t="p",xlab="n1",ylab="n2")
```

barnardw.test

Barnard's Unconditional Test with Wald Statistics (obsolete)

Description

Previous version of Barnard's unconditional test for superiority which used Z-statistic with pooled variance for the difference between two binomial proportions in a 2x2 contingency table. Please use the 'barnard.test' instead.

Index

* **htest**

Barnard, [2](#)

barnard.test, [2](#)

* **nonparametric**

Barnard, [2](#)

barnard.test, [2](#)

Barnard, [2](#)

Barnard-package (Barnard), [2](#)

barnard.test, [2](#)

barnardw.test, [5](#)